

Reducing Nervousness during Delivery

Anticipate the Reactions of Your Body

There are a number of steps you can take to counteract the negative physiological effects of stress on the body. Deep breathing will help to counteract the effects of excess adrenaline. You can place symbols in your notes, like “slow down” or ☹️, that remind you to pause and breathe during points in your speech. It is also a good idea to pause a moment before you get started to set an appropriate pace from the onset. Look at your audience and smile. It is a reflex for some of your audience members to smile back. Those smiles will reassure you that your audience members are friendly.

Physical movement helps to channel some of the excess energy that your body produces in response to anxiety. If at all possible, move around the front of the room rather than remaining imprisoned behind the lectern or gripping it for dear life (avoid pacing nervously from side to side, however). Move closer to the audience and then stop for a moment. If you are afraid that moving away from the lectern will reveal your shaking hands, use note cards rather than a sheet of paper for your outline. Note cards do not quiver like paper, and they provide you with something to do with your hands.

Vocal warm-ups are also important before speaking. Just as athletes warm up before practice or competition and musicians warm up before playing, speakers need to get their voices ready to speak. Talking with others before your speech or quietly humming to yourself can get your voice ready for your presentation. You can even sing or practice a bit of your speech out loud while you're in the shower (just don't wake the neighbors), where the warm, moist air is beneficial for your vocal mechanism. Gently yawning a few times is also an excellent way to stretch the key muscle groups involved in speaking.

Immediately before you speak, you can relax the muscles of your neck and shoulders, rolling your head gently from side to side. Allow your arms to hang down your sides and stretch out your shoulders. Isometric exercises that involve momentarily tensing and

then relaxing specific muscle groups are an effective way to keep your muscles from becoming stiff.

Focus on the Audience, Not on Yourself

During your speech, make a point of establishing direct eye contact with your audience members. By looking at individuals, you establish a series of one-to-one contacts similar to interpersonal communication. An audience becomes much less threatening when you think of them not as an anonymous mass but as a collection of individuals.

A colleague once shared his worst speaking experience when he reached the front of the room and forgot everything he was supposed to say. When I asked what he saw when he was in the front of the room, he looked at me like I was crazy. He responded, “I didn’t see anything. All I remember is a mental image of me up there in the front of the room blowing it.” Speaking anxiety becomes more intense if you focus on yourself rather than concentrating on your audience and your material.

Maintain Your Sense of Humor

No matter how well we plan, unexpected things happen. That fact is what makes the public speaking situation so interesting. When the unexpected happens to you, do not let it rattle you. At the end of a class period late in the afternoon of a long day, a student raised her hand and asked me if I knew that I was wearing two different colored shoes, one black and one blue. I looked down and saw that she was right; my shoes did not match. I laughed at myself, complimented the student on her observational abilities and moved on with the important thing, the material I had to deliver.

Stress Management Techniques

Even when we employ positive thinking and are well prepared, some of us still feel a great deal of anxiety about public speaking. When that is the case, it can be more helpful to use stress management than to try to make the anxiety go away.

One general technique for managing stress is positive visualization. Visualization is the process of seeing something in your mind's eye; essentially it is a form of self-hypnosis. Frequently used in sports training, positive visualization involves using the imagination to create images of relaxation or ultimate success. Essentially, you imagine in great detail the goal for which you are striving, say, a rousing round of applause after you give your speech. You mentally picture yourself standing at the front of the room, delivering your introduction, moving through the body of your speech, highlighting your presentation aids, and sharing a memorable conclusion. If you imagine a positive outcome, your body will respond to it as through it were real. Such mind-body techniques create the psychological grounds for us to achieve the goals we have imagined. As we discussed earlier, communication apprehension has a psychological basis, so mind-body techniques such as visualization can be important to reducing anxiety. It's important to keep in mind, though, that visualization does not mean you can skip practicing your speech out loud. Just as an athlete still needs to work out and practice the sport, you need to practice your speech in order to achieve the positive results you visualize.

Systematic desensitization is a behavioral modification technique that helps individuals overcome anxiety disorders. People with phobias, or irrational fears, tend to avoid the object of their fear. For example, people with a phobia of elevators avoid riding in elevators—and this only adds to their fear because they never “learn” that riding in elevators is usually perfectly safe. Systematic desensitization changes this avoidance pattern by gradually exposing the individual to the object of fear until it can be tolerated.

First, the individual is trained in specific muscle relaxation techniques. Next, the individual learns to respond with conscious relaxation even when confronted with the situation that previously caused them fear. James McCroskey used this technique to treat students who suffered from severe, trait-based communication apprehension. McCroskey, J. C. (1972). The implementation of a large-scale program of systematic desensitization for communication apprehension. *The Speech Teacher*, 21,

255–264. He found that “the technique was eighty to ninety percent effective” for the people who received the training. McCroskey, J. C. (2001). *An introduction to rhetorical communication*. Boston, MA: Allyn & Bacon, p. 57. If you’re highly anxious about public speaking, you might begin a program of systematic desensitization by watching someone else give a speech. Once you are able to do this without discomfort, you would then move to talking about giving a speech yourself, practicing, and, eventually, delivering your speech.

The success of techniques such as these clearly indicates that increased exposure to public speaking reduces overall anxiety. Consequently, you should seek out opportunities to speak in public rather than avoid them. As the famous political orator William Jennings Bryan once noted, “The ability to speak effectively is an acquirement rather than a gift.” Carnegie, D. (1955). *Public speaking and influencing men in business*. New York, NY: American Book Stratford Press, Inc.